















2012/2013

Power Tools & Accessories Catalog



BOSCH

Invented for life

Item #	11240	11247	11264EVS	11265EVS	11263EVS	11245EVS
						
Drive System						
Hammer Classification	Combination	Combination	Combination	Combination	Combination	Combination
Amperage	10	10	13	13	13.5	14
Impact Energy (ft.-lbs.)	5.2	5.2	6.8 / 8.1 (turbo+)	6.8 / 8.1 (turbo)	9.6 / 11.1	13.3
Max. Concrete Capacity	1-9/16"	1-9/16"	1-5/8"	1-5/8"	1-3/4"	2"
Optimal Range	1/2"-1-3/8"	1/2"-1-3/8"	1/2"-1-7/16"	1/2"-1-7/16"	5/8"-1-9/16"	3/4"-1-3/4"
Thru Hole Bits	2-1/2"	2-1/2"	2-9/16"	2-9/16"	3-1/8"	3-1/8"
Core Bits	4"	4"	4-1/8"	4-1/8"	6"	6"
No Load RPM	400	400	170-340	170-340	145-280	120-250
No Load BPM	3,000	3,000	1,700-2,900	1,700-2,900	1,350-2,800	1,100-2,500
Bosch Vibration Control	No	No	Hammer Mechanism and Handle	Hammer Mechanism and Handle	No	No
**Vibration Levels m/s ²	—	—	10.0	10.0	—	—
Modes of Operation	Rotary Hammer Hammer Only	Rotary Hammer Hammer Only	Rotary Hammer Hammer Only	Rotary Hammer Hammer Only	Rotary Hammer Hammer Only	Rotary Hammer Hammer Only
Length	17.25"	17.25"	19.25"	19.25"	21"	23.5"
Weight	13.2 lbs.	13.6 lbs.	14.3 lbs.	14.7 lbs.	17.9 lbs.	24.5 lbs.

**Per EPTA EN 60745

Item #	11387	11388	11321EVS	11316EVS	11317EVS	11335K	BH2760VC/ BH2760VCB/ BH2760VCD
							
Drive System							
Hammer Classification	Demolition	Demolition	Demolition	Demolition	Demolition	Breaker	Breaker
Amperage	10	10	13	14	12.8	15	15
Impact Energy (ft.-lbs.)	5.9	5.9	9.6	4.4-18.4	4-16.5	34	49.5 ft.-lbs.*
BPM	2,800	2,800	1,300-2,900	900-1,890	850-1,800	1,300	1,000
Bosch Vibration Control	No	No	Hammer Mechanism and Handle	No	No	Hammer Mechanism and Handle	Hammer Mechanism and Handles
**Vibration Levels m/s ²	—	—	8.0	—	—	10.8	8.0
Modes of Operation	Hammer Only	Hammer Only	Hammer Only	Hammer Only	Hammer Only	Hammer Only	Hammer Only
Length	17.5"	17.5"	18.6"	22.5"	22"	30.4"	30.5"
Weight	12.0 lbs.	11.6 lbs.	12.8 lbs.	22.5 lbs.	22.0 lbs.	38.0 lbs.	65.0 lbs.

*Based on test of 230V product

**Per EPTA EN 60745



Toll free: 877-BOSCH-99

Breaker Hammers

11335K Jack 35 lb. Breaker Hammer



- ▶ Vibration Control—Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort
- ▶ In-Line Design—Ultimate tool balance with multiple grip positions for maximum performance in angled, horizontal and vertical applications
- ▶ Two-Way Tool Retainer—Accepts standard 1-1/8" (28mm) hex, air tool steel with retaining collar or Bosch internal-locking combo steel

Specifications	
Rating	120V
Amperage	15.0
No Load BPM	1,300
Impact Energy (ft.-lbs.)	34
Length	30.4"
Weight	38.0 lbs.

Includes:
Star Point Chisel **HS2861**
Articulating Auxiliary Handle **2602025170**
Carrying Case with Wheels **1615438432**
Grease Tube **1615430005**
Cleaning Rag **1619200444**

Optional dust collection attachments available on pages 30 and 274.

BH2760VC Brute™ Breaker Hammer



- ▶ Vibration Control—Vibration reduction in the hammer mechanism and grip area provide maximum user comfort for extended periods of work; 50% less vibration than the 11304
- ▶ The Plug-In Anywhere Hammer—Does not need a compressor
- ▶ Total Portability—Operates on 115/120V AC/DC, 15 amp. outlet or 2,500-watt portable generator

Specifications	
Rating	115/120V AC/DC
Amperage	15.0
No Load BPM	1,000
Impact Energy (ft.-lbs.)	49.5 ft.-lbs.*
Length	30.5"
Weight	65.0 lbs.

*Based on test of 230V product

Optional dust collection attachments available on pages 30 and 274.

BH2760VCB Brute™ Breaker Hammer with Basic Cart Plus Two Chisels



Same features as BH2760VC above.
Also includes:
Basic Cart **T1657**
Narrow Chisel **HS2163**
Moil Point Chisel **HS2161**

Same specifications as BH2760VC above.

Optional dust collection attachments available on pages 30 and 274.

BH2760VCD Brute™ Breaker Hammer with Deluxe Cart Plus Four Chisels



Same features as BH2760VC above.
Also includes:
Deluxe Cart **T1757**
(2) Narrow Chisels **HS2163**
(2) Star Point Chisels **HS2861**

Same specifications as BH2760VC above.

Optional dust collection attachments available on pages 30 and 274.